



UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office

Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.
-----------------	-------------	----------------------	---------------------

09/341,641 09/09/99 SCHMIDT

G 020600-280

021839 HM12/0423
BURNS DOANE SWECKER & MATHIS L L P
POST OFFICE BOX 1404
ALEXANDRIA VA 22313-1404

EXAMINER

CHAKRABARTI, A

ART UNIT

PAPER NUMBER

1655

DATE MAILED:

04/23/01

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner of Patents and Trademarks

Office Action Summary

Application No.
09/341,641

Applicant(s)

Schmidt et al.

Examiner

Arun Chakrabarti

Group Art Unit

1655



☒ Responsive to communication(s) filed on Apr 9, 2001

☒ This action is **FINAL**.

☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11; 453 O.G. 213.

A shortened statutory period for response to this action is set to expire 3 month(s), or thirty days, whichever is longer, from the mailing date of this communication. Failure to respond within the period for response will cause the application to become abandoned. (35 U.S.C. § 133). Extensions of time may be obtained under the provisions of 37 CFR 1.136(a).

Disposition of Claims

☒ Claim(s) 21-39 and 41-43 is/are pending in the application.

Of the above, claim(s) _____ is/are withdrawn from consideration.

☐ Claim(s) _____ is/are allowed.

☒ Claim(s) 21-39 and 41-43 is/are rejected.

☐ Claim(s) _____ is/are objected to.

☐ Claims _____ are subject to restriction or election requirement.

Application Papers

☐ See the attached Notice of Draftsperson's Patent Drawing Review, PTO-948.

☐ The drawing(s) filed on _____ is/are objected to by the Examiner.

☐ The proposed drawing correction, filed on _____ is ☐ approved ☐ disapproved.

☐ The specification is objected to by the Examiner.

☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. § 119

☐ Acknowledgement is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d).

☐ All ☐ Some* ☐ None of the CERTIFIED copies of the priority documents have been
☐ received.

☐ received in Application No. (Series Code/Serial Number) _____.

☐ received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

*Certified copies not received: _____.

☐ Acknowledgement is made of a claim for domestic priority under 35 U.S.C. § 119(e).

Attachment(s)

☒ Notice of References Cited, PTO-892

☐ Information Disclosure Statement(s), PTO-1449, Paper No(s). _____

☐ Interview Summary, PTO-413

☐ Notice of Draftsperson's Patent Drawing Review, PTO-948

☐ Notice of Informal Patent Application, PTO-152

--- SEE OFFICE ACTION ON THE FOLLOWING PAGES ---

Art Unit: 1655

DETAILED ACTION

Specification

1. Claims 21 and 33 have been amended.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103© and potential 35 U.S.C. 102(f) or (g) prior art under 35 U.S.C. 103(a).

3. Claims 21-32 are rejected under 35 U.S.C. 103 (a) over Southern et al. (PCT International Publication Number: WO 95/04160) (February 9, 1995) in view of Bensimon et al. (U.S. Patent 5,866,328) (February 2, 1999).

Art Unit: 1655

Southern et al. teaches a method for sequencing DNA (Abstract with Figure), which comprises:

(a) obtaining a target DNA population comprising a plurality of single-stranded DNAs to be sequenced, each of which is inherently present in a unique amount in the same reaction zone and bears a primer to provide a double-stranded portion of the DNA for ligation thereto (Figure 5 and Example 16 b, lines 1-12 and Claims 16 a and 16 b);

(b) contacting the DNA population with an array of hybridization probes, each probe comprising a label cleavably attached to a known base sequence of predetermined length, the array containing all possible base sequences of that predetermined length and the base sequence being incapable of ligation to each other, wherein the contacting is carried out in the presence of ligase under conditions to ligate to the double-stranded portion of each DNA the probe bearing the base sequence complementary to the single-stranded DNA adjacent the double-stranded portion thereby to form an extended double-stranded portion which is incapable of ligation to further probes (Figures 4 and 5 and Claims 16 a to 16 d and Claims 20 a to 20 d);

c) removing all unligated probes (Claims 16 e and 20 e); followed by the steps of :

(d) cleaving the ligated probes to release each label (Figures 3a, 3b and 4, and Page 16, lines 5-18 and Example 18);

(e) recording the quantity of each label (Example 19, Figures 3b, 4 and 5 and claims 16 f and 20 f); and

Art Unit: 1655

(f) activating the extended double-stranded portion to enable ligation thereto (Page 16, lines 15-18, Figures 4 and 5);

(g) steps (b) to (f) are repeated in a cycle for a sufficient number of times to determine the sequence of each single-stranded DNA by determining the sequence of release of each label (Figure 4 and page 16, lines 19-26 and claim 17).

Southern et al. teaches a method wherein the array comprises a plurality of sub-arrays which together contains all possible base sequences (Page 17, line 1 to page 18, line 5 and page 19, line 26 to page 21, lines 23 and claim 20).

Southern et al. teaches a method wherein the initial DNA sample is cut into fragments, each having a sticky end of known length and unknown sequence, which fragments are sorted into subpopulations according to their sticky end sequence (Example 16 b).

Southern et al. teaches a method wherein each single-stranded DNA is immobilized at one end (Figures 4 and 5).

Southern et al. teaches a method wherein the label of each probe comprises a mass label, and the quantity of each label is recorded using mass spectrometry after release of the label (Example 19).

Southern et al. teaches a method wherein the known base sequence is blocked at its 3' OH (Figure 4, step 1).

Southern et al. teaches a method wherein the step of cleaving the ligated probes to release each label unblocks the 3' -OH of the extended double-stranded portion (Figure 4, step 2).

Art Unit: 1655

Southern et al. teaches a method wherein the label of each probe is cleavably attached to the 3'-OH of the base sequence (Figure 4).

Southern et al. teaches a method wherein the base sequence of each probe is unphosphorylated at both 3' and 5' ends and comprises phosphorylating the 5'-OH of the extended double-stranded position (Figure 4, steps 3 and 4).

Southern et al. teaches a method wherein the predetermined length of the base sequence is from 2 to 6 (Page 2, lines 2-8).

Southern et al does not teach a method wherein a heterogeneous population of single-stranded DNA is immobilized in a unique amount in the same reaction zone.

Bensimon et al. teaches a method wherein a heterogeneous population of single-stranded DNA is immobilized in a unique amount in the same reaction zone (Column 7, line 16 to column 8, line 67).

It would have been *prima facie* obvious to one having ordinary skill in the art at the time the invention was made to substitute and combine the heterogeneous population of single-stranded DNA immobilized in a unique amount in the same reaction zone of Bensimon et al in the assay method of Southern et al. since Bensimon et al. states, "This method enables a heterogeneous population of DNA molecules (already anchored to the mpvabe support) to be sequenced or tested in series (Column 7, lines 27-29)". By employing scientific reasoning and in order to improve the sequencing of heterogeneous population of DNA molecules, an ordinary practitioner would have been motivated to substitute and combine the heterogeneous population of single-stranded DNA

Art Unit: 1655

immobilized in a unique amount in the same reaction zone of Bensimon et al in the assay method of Southern et al. In order to achieve the express advantages, as noted by Bensimon et al, of a method which enables a heterogeneous population of DNA molecules (already anchored to the mpvable support) to be sequenced or tested in series.

4. Claims 21-25 and 27-32 are rejected under 35 U.S.C. 103 (a) over Macevicz et al. (PCT International Publication Number: WO 96/33205) (October 24, 1996) in view of Bensimon et al. (U.S. Patent 5,866,328) (February 2, 1999).

Macevicz et al. teaches a method for sequencing DNA (Abstract with Figure), which comprises:

(a) obtaining a target DNA population comprising a plurality of single-stranded DNAs to be sequenced, each of which is inherently present in a unique amount in the same reaction zone and bears a primer to provide a double-stranded portion of the DNA for ligation thereto(Figure 1 and page 10, lines 16 to page 11, lines 23);

(b) contacting the DNA population with an array of hybridization probes, each probe comprising a label cleavably attached to a known base sequence of predetermined length, the array containing all possible base sequences of that predetermined length and the base sequence being incapable of ligation to each other, wherein the contacting is carried out in the presence of ligase under conditions to ligate to the double-stranded portion of each DNA the probe bearing the base sequence complementary to the single-stranded DNA adjacent the double-stranded portion thereby

Art Unit: 1655

to form an extended double-stranded portion which is incapable of ligation to further probes (Figures 1-4 and Claim 13);

c) removing all unligated probes (Claim 13); followed by the steps of :

(d) cleaving the ligated probes to release each label (Figures 1-4);

(e) recording the quantity of each label (Example 1, page 21, lines 19-27); and

(f) activating the extended double-stranded portion to enable ligation thereto (Figures 1-4 and Example 1, page 21, last paragraph);

(g) steps (b) to (f) are repeated in a cycle for a sufficient number of times to determine the sequence of each single-stranded DNA by determining the sequence of release of each label (Figures 1-4 and Example 1, page 21, last paragraph).

Macevicz et al. teaches a method wherein the array comprises a plurality of sub-arrays which together contains all possible base sequences (Example 1).

Macevicz et al. teaches a method wherein the initial DNA sample is cut into fragments, each having a sticky end of known length and unknown sequence, which fragments are sorted into subpopulations according to their sticky end sequence (page 5, line 25 to page 6, line 18).

Macevicz et al. teaches a method wherein each single-stranded DNA is immobilized at one end (Figures 1-4).

Macevicz et al. teaches a method wherein the known base sequence is blocked at its 3' OH (Figure 4, step 2).

Art Unit: 1655

Macevicz et al. teaches a method wherein the step of cleaving the ligated probes to release each label unblocks the 3' -OH of the extended double-stranded portion (Figure 4, step 3).

Macevicz et al. teaches a method wherein the label of each probe is cleavably attached to the 3'-OH of the base sequence (Figure 4, steps 4 and 5).

Macevicz et al. teaches a method wherein the base sequence of each probe is unphosphorylated at both 3' and 5' ends and comprises phosphorylating the 5'-OH of the extended double-stranded position (Figures 2 and 3b).

Macevicz et al. teaches a method wherein the predetermined length of the base sequence is from 2 to 6 (Page 7, lines 7-20).

Macevicz et al does not teach a method wherein a heterogeneous population of single-stranded DNA is immobilized in a unique amount in the same reaction zone.

Bensimon et al. teaches a method wherein a heterogeneous population of single-stranded DNA is immobilized in a unique amount in the same reaction zone (Column 7, line 16 to column 8, line 67).

It would have been *prima facie* obvious to one having ordinary skill in the art at the time the invention was made to substitute and combine the heterogeneous population of single-stranded DNA immobilized in a unique amount in the same reaction zone of Bensimon et al in the assay method of Macevicz et al. since Bensimon et al. states, "This method enables a heterogeneous population of DNA molecules (already anchored to the mpvable support) to be sequenced or tested in series (Column 7, lines 27-29)". By employing scientific reasoning and in order to improve the sequencing

Art Unit: 1655

of heterogeneous population of DNA molecules, an ordinary practitioner would have been motivated to substitute and combine the heterogeneous population of single-stranded DNA immobilized in a unique amount in the same reaction zone of Bensimon et al in the assay method of Macevicz et al in order to achieve the express advantages, as noted by Bensimon et al, of a method which enables a heterogeneous population of DNA molecules (already anchored to the mpvble support) to be sequenced or tested in series.

5. Claims 21-39 and 41-43 are rejected under 35 U.S.C. 103 (a) as being unpatentable over Southern et al. (PCT International Publication Number: WO 95/04160) (February 9, 1995) in view of Bensimon et al. (U.S. Patent 5,866,328) (February 2, 1999) further in view of Stratagene Catalog (1988, page 39).

Southern et al in view of Bensimon et al. teaches the method of claims of 21-32 including array of hybridization probes comprising mass labels as described above.

Southern et al in view of Bensimon et al. do not teach the motivation to combine all the reagents for identifying a base at a target position in a single-stranded sample DNA sequence in the form of a kit.

Stratagene catalog teaches a motivation to combine reagents into kit format (page 39).

It would have been *prima facie* obvious to one having ordinary skill in the art at the time the invention was made to combine all the reagents e.g., array of hybridization probes comprising mass labels etc. of Southern et al in view of Bensimon et al into a kit format as discussed by Stratagene catalog since the Stratagene catalog teaches a motivation for combining reagents of use in an assay

Art Unit: 1655

into a kit, "Each kit provides two services: 1) a variety of different reagents have been assembled and pre-mixed specifically for a defined set of experiments. Thus one need not purchase gram quantities of 10 different reagents, each of which is needed in only microgram amounts, when beginning a series of experiments. When one considers all of the unused chemicals that typically accumulate in weighing rooms, desiccators, and freezers, one quickly realizes that it is actually far more expensive for a small number of users to prepare most buffer solutions from the basic reagents. Stratagene provides only the quantities you will actually need, premixed and tested. In actuality, the kit format saves money and resources for everyone by dramatically reducing waste. 2) The other service provided in a kit is quality control". (page 39, column 1).

Response to Amendment

6. All 112 (second paragraph) and 102 (a) and (b) rejections are withdrawn in view of the amendment. However, three new 103 (a) rejections have been included.

Response to Arguments

7. Applicant's arguments with respect to all pending claims have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

8. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

Art Unit: 1655

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Arun Chakrabarti, Ph.D. whose telephone number is (703) 306-5818. The examiner can normally be reached on 7:00 AM-4:30 PM from Monday to Friday.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gary Jones, can be reached on (703) 308-1152. The fax phone number for this Group is (703) 305-7401.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Group receptionist whose telephone number is (703) 308-0196.

Arun Chakrabarti,

Patent Examiner,

April 16, 2001


W. Gary Jones
Supervisory Patent Examiner
Technology Center 1600
4/19/01